

reconsideration of the above-identified application in light of the amendments and remarks presented in the instant Amendment.

IN THE CLAIMS

✓
Please **cancel** claims 2-6 without prejudice.

Please **amend** claim 1 with the following rewritten claim:

B1
1. (AMENDED) An isolated nucleic acid comprising a PEG-3 promoter comprising the nucleotide sequence beginning with the guanosine (G) at position 1507 and ending with the cytosine (C) at position 1970 of SEQ ID NO:1.

Please **amend** claim 7 with the following rewritten claim:

B2
7. (AMENDED) The nucleic acid of claim 1, wherein the nucleic acid is operably linked to a gene of interest.

Please **amend** claim 11 with the following rewritten claim:

B3 11. (AMENDED) A vector comprising the nucleic acid of any one of claims 1 and 7 to 10.

Please **add** new claim 38 as follows:

38. (NEW) An isolated nucleic acid comprising a PEG-3 promoter comprising:

- B4
- (i) a PEA3 protein binding sequence consisting of the nucleotide sequence beginning with the thymidine (T) at position 1672 and ending with the thymidine (T) at position 1677 of SEQ ID NO:1,
 - (ii) a TATA sequence consisting of the nucleotide sequence beginning with the thymidine (T) at position 1748 and ending with the adenosine (A) at position 1753 of SEQ ID NO:1, and
 - (iii) an AP1 protein binding sequence consisting of the nucleotide sequence beginning with the thymidine (T) at position 1781 and ending with the adenosine (A) at position 1787 of SEQ ID NO:1,

B4
wherein said PEG-3 promoter is at least about 464 nucleotides long and has PEG-3 promoter activity.

[Please add new claim 39 as follows:]

39. (NEW) An isolated nucleic acid comprising a PEG-3 promoter comprising:

- (i) a PEA3 protein binding sequence consisting of the nucleotide sequence beginning with the thymidine (T) at position 1672 and ending with the thymidine (T) at position 1677 of SEQ ID NO:1,
- (ii) a TATA sequence consisting of the nucleotide sequence beginning with the thymidine (T) at position 1748 and ending with the adenosine (A) at position 1753 of SEQ ID NO:1, and
- (iii) an AP1 protein binding sequence consisting of the nucleotide sequence beginning with the thymidine (T) at position 1781 and ending with the adenosine (A) at position 1787 of SEQ ID NO:1,